


Generated May 11, 2026


Overall score **59/100**

seositechecker.pro

Overview



Powered by: www.seositechecker.pro




0.9 Seconds

218.01 bytes

92 Resources

Not Secured



Title	All Electrical Products – High-Quality Electrical Products For Your Success
Url	
Description	

AI Search Readiness

71 AI readiness
71/100

How easily AI answer engines such as ChatGPT, Gemini and Perplexity can crawl, understand and cite this page. Every item below is measured on your site.

Quick wins

3

Structured data (JSON-LD): No JSON-LD found. Without schema, AI engines must guess what this page is about.

llms.txt file: No /llms.txt found. Adding one helps AI engines pick the right pages to cite.

Meta description: No usable meta description, so engines will invent their own summary.

How this score works

We measure what AI answer engines can actually see on your site: whether your robots.txt allows GPTBot, OAI-SearchBot, ClaudeBot, PerplexityBot, Google-Extended and CCBot, whether an llms.txt exists, plus JSON-LD schema, a single H1, meta description, canonical URL, indexability, content depth, Open Graph tags and a declared language. Each item is weighted, and a warning counts as half credit.

What we do not claim: we do not estimate how often ChatGPT, Gemini or Perplexity mention your brand. That cannot be measured without querying those models, so we do not publish a number for it.

✓ AI crawler access	Congratulations! Your robots.txt does not block any major AI crawler.
⚠️ llms.txt file	No /llms.txt found. Adding one helps AI engines pick the right pages to cite.
❗ Structured data (JSON-LD)	No JSON-LD found. Without schema, AI engines must guess what this page is about.
✓ Single descriptive H1	Congratulations! Exactly one H1, which clearly states the page topic.
❗ Meta description	No usable meta description, so engines will invent their own summary.
✓ Canonical URL	Congratulations! A canonical URL is declared, so citations point at one address.
✓ Indexable (no noindex)	Congratulations! The page is indexable.
✓ Content depth	Congratulations! The page has about 223241 words. AI engines prefer substantive pages they can quote.
⚠️ Open Graph tags	Missing Open Graph title or description, which engines use as a fallback summary.
✓ Declared language	Congratulations! The page declares its language.

Q Seo

⚠️ Title	The webpage is using a title tag with a length of 75 characters. While there's no target number of characters, titles should be descriptive and concise. We recommend using a title with a length between 50 - 60 characters in order to fit Google Search results that have a 600-pixel limit. ❗ Text: All Electrical Products – High-Quality Electrical Products For Your Success Length: 75 characters
❗ Description	This webpage is missing a meta description tag! It is important to include this tag in order to provide a brief summary of the page for search engines. A well-written and enticing meta description can also increase the number of clicks on your site in search engine results.

Google Search Results
Preview Test

Desktop version

All Electrical Products – High-Quality Electrical Products F...

Mobile version

All Electrical Products – High-Quality Electrical Products F...



Social Media Meta
Tags

This webpage is not using social media meta tags.

Missing Tags 11



Most Common
Keywords

It is unlikely that there is a specific keyword density that is optimal for search engines (as their algorithms have evolved beyond using keyword density as a ranking factor). However, it can be helpful to see which keywords are most commonly used on your page and whether they accurately reflect the intended topic. More importantly, the keywords on your page should be used naturally and in grammatically correct copy.

fittings (19) products (12) conduit (11) steel (10) view (10) electrical (8) rod (8) login (8) price (8)
sku (8) accessories (6) ent (6) standard (6) strut (5) boxes (5) emt (4) rigid (4) grounding (4)
contact (4) 18002080081 (3) access (3) bushings (3) washers (3) whip (3) elbows (3) channel (3)
nipples (3) threaded (3) covers (3) home (3) installation (3) product (3) quality (3) couplings (3)
success (2) toll (2) free (2) pipe (2) shipping (2) returns (2) search (2) pvc (2) premium (2)
including (2) junction (2) trust (2) metal (2) pull (2) box (2) celt (2)



Keywords Usage

KEYWORD	TITLE	DESCRIPTION	HEADINGS
fittings (19)	×	×	✓
products (12)	✓	×	✓
conduit (11)	×	×	×
steel (10)	×	×	✓
view (10)	×	×	×
electrical (8)	✓	×	✓
rod (8)	✓	×	✓
login (8)	×	×	×
price (8)	×	×	×
sku (8)	×	×	✓
accessories (6)	×	×	×
ent (6)	×	×	×
standard (6)	×	×	×
strut (5)	×	×	✓
boxes (5)	×	×	×
emt (4)	×	×	✓
rigid (4)	×	×	✓
grounding (4)	×	×	✓
contact (4)	×	×	×
18002080081 (3)	×	×	×
access (3)	×	×	×
bushings (3)	×	×	×
washers (3)	×	×	×
whip (3)	×	×	×
elbows (3)	×	×	×
channel (3)	×	×	✓
nipples (3)	×	×	×
threaded (3)	×	×	✓
covers (3)	×	×	×
home (3)	×	×	×
installation (3)	×	×	✓

product (3)	✓	×	✓
quality (3)	✓	×	×
couplings (3)	×	×	✓
success (2)	✓	×	×
toll (2)	×	×	×
free (2)	×	×	×
pipe (2)	×	×	×
shipping (2)	×	×	×
returns (2)	×	×	×
search (2)	×	×	×
pvc (2)	×	×	×
premium (2)	×	×	×
including (2)	×	×	×
junction (2)	×	×	✓
trust (2)	×	×	✓
metal (2)	×	×	✓
pull (2)	×	×	✓
box (2)	×	×	✓
celt (2)	×	×	✓



Long Tail Keywords Usage

KEYWORD	TITLE	DESCRIPTION	HEADINGS
login view (8)	×	×	×
view price (8)	×	×	×
price sku (8)	×	×	×
login view price (8)	×	×	×
view price sku (8)	×	×	×
login view price sku (8)	×	×	×
standard fittings (6)	×	×	×
fittings steel (5)	×	×	×
electrical products (4)	✓	×	✓
grounding rod (4)	×	×	✓
access fittings (3)	×	×	×
fittings accessories (3)	×	×	×
accessories bushings (3)	×	×	×
bushings washers (3)	×	×	×
conduit accessories (3)	×	×	×
whip elbows (3)	×	×	×
elbows ent (3)	×	×	×
ent conduit (3)	×	×	×
conduit ent (3)	×	×	×
ent fittings (3)	×	×	×
fittings fittings (3)	×	×	×
steel strut (3)	×	×	✓
strut channel (3)	×	×	✓
nipples standard (3)	×	×	×
steel standard (3)	×	×	×
threaded rod (3)	×	×	✓
rod grounding (3)	×	×	×
boxes covers (3)	×	×	×
electrical installation (3)	×	×	✓
couplings login (3)	×	×	×
access fittings accessories (3)	×	×	×

fittings accessories bushings (3)	×	×	×
accessories bushings washers (3)	×	×	×
whip elbows ent (3)	×	×	×
elbows ent conduit (3)	×	×	×
ent conduit ent (3)	×	×	×
conduit ent fittings (3)	×	×	×
ent fittings fittings (3)	×	×	×
steel strut channel (3)	×	×	✓
nipples standard fittings (3)	×	×	×
standard fittings steel (3)	×	×	×
fittings steel standard (3)	×	×	×
steel standard fittings (3)	×	×	×
threaded rod grounding (3)	×	×	×
rod grounding rod (3)	×	×	×
couplings login view (3)	×	×	×
access fittings accessories bushings (3)	×	×	×
fittings accessories bushings washers (3)	×	×	×
whip elbows ent conduit (3)	×	×	×
elbows ent conduit ent (3)	×	×	×

✓ Headings

Congratulations! This webpage has heading tags.

h1	1	▼
h2	20	▼
h3	8	▼
h4	13	▼
h5	5	▼
h6	1	▼

✓ robots.txt

Congratulations! This website has a 'robots.txt' file.

 ads.txt	This website lacks an ads.txt file. Adding this file helps protect your ad revenue by preventing unauthorized parties from selling your ad inventory
 Sitemaps	Congratulations! This website has a sitemap file. Sitemaps 1
 SEO Friendly URL	This webpage includes some links that are not SEO friendly. SEO unfriendly URL 11
 Image Alt Text	This webpage is using 16 'img' tags with 2 tags empty or missing 'alt' attribute! Images without ALT tag 2
 Inline CSS	This webpage is using inline CSS styles! Inline CSS 11
 Deprecated HTML Tags	Congratulations! This webpage is not using deprecated html tags
 Google Analytics	This webpage is not using Google Analytics.
 Favicon	Congratulations! This website appears to have a favicon. 
 Charset Declaration	Congratulations! This webpage has a character encoding declaration UTF-8
 Social Media Presence	No social media links found.

 Plaintext Email	This webpage include 2 email addresses in plaintext. Plaintext Email 2
 Structured Data	This webpage doesn't take the advantages of HTML Microdata or JSON-LD specifications in order to use structured data! View Google's guide for getting started with structured data.
 Meta Viewport	Congratulations! This webpage is using a viewport meta tag. width=device-width, initial-scale=1
 URL Canonicalization	Congratulations! This webpage has valid canonical link https://allelectricalproducts.com/
 Disallow Directive	Congratulations! Your robots.txt file includes a disallow command which instructs search engines to avoid certain parts of your website! You are advised to confirm if access to these resources or pages are intended to be blocked (e.g., if they contain internal-only content or sensitive information)

Speed optimizations

 Load Time	Congratulations! The loading speed of this webpage, as measured is approximately 0.9 seconds, which is faster than the average loading time of 2.5 seconds.
 Page Size	Congratulations! This webpage's HTML is smaller than the average, clocking in 218.01 as opposed to the typical 97.66 kB. Websites that load quickly provide a superior user experience, and tend to have higher conversion rates and better search engine rankings.
 Dom Size	Congratulations! The Document Object Model (DOM) of this webpage has 973 nodes which is less than the recommended value of 1500 nodes.
 HTML Compression/GZIP	 This webpage is not compressed. The compressed HTML code could save up to 85% of download size. This helps ensure a faster loading webpage and improved user experience.
 JavaScript execution time	Congratulations! Java script execute fastely



First Contentful Paint Test

Congratulations! The First Contentful Paint duration of this webpage is **0.37** seconds. For a good user experience, sites should aim for FCP of **1.8** seconds or less.



Largest Contentful Paint Test

Congratulations! The Largest Contentful Paint duration of this webpage is **0.41** seconds. To provide a good user experience, sites should strive to have Largest Contentful Paint of **2.5** seconds or less.



Cumulative Layout Shift Test

Congratulations! The Cumulative Layout Shift (CLS) score of this webpage is **0.0002**. To provide a good user experience, sites should aim for a CLS of **0.1** or less.



Render Blocking Resources Test

Not Eliminate render-blocking resources

Render Blocking Resources 33



Console Errors

Congratulations! No browser errors logged to the console



Http Requests

This webpage has **92 http requests**, which is more than the recommended 25 http requests. A higher number of http requests can slow down page loading and negatively impact user experience!

img 16



script 29



link 46



iframe 1



CDN Usage Test

This webpage is not serving all resources (images, javascript and css) from CDNs!

CDN List 8



Image Caching

This webpage is not using cache headers for all Image resources.

Image Uncache Links 16



Modern Image Format

Congratulations! This webpage is using images in a modern format.

Modern Format Images 1



Legacy Format Images 15



Server and Security



SSL Checker and HTTPS Test



This webpage does not have SSL and not using secure communication protocol over the Internet



Mixed Content (HTTP over HTTPS)

Congratulations! This webpage does not use mixed content - both the initial HTML and all other resources are loaded over HTTPS.



Server Signature

The server signature is on for this webpage! Turning off the server signature is generally a good idea from a security standpoint.

cloudflare



Unsafe Cross-Origin Links

Congratulations! This webpage is not using **target='_blank'** links without **rel='noopener'** or **rel='noreferrer'** attribute.



HTTP2 Test



This webpage is not using the HTTP/2 protocol!



HSTS



This webpage is not using the **Strict-Transport-Security** header! This is a security header that was created as a way to force the browser to use secure connections when a site is running over HTTPS.



SPF Records

Congratulations! This DNS server is using an SPF record.

```
v=spf1 +a +mx include:allelectricalproducts.com.spf.auto.dnssmarthost.net ~all
```



Advance



Flash Test

Congratulations! This webpage does not include flash objects (an outdated technology that was sometimes used to deliver rich multimedia content). Flash content does not work well on mobile devices, and is difficult for crawlers to interpret.



Nested Tables

Congratulations! This webpage is not using nested tables. This speeds up page loading time and optimizes the user experience.

✓ Framesets	Congratulations! This webpage does not use frames.
✓ Doctype	Congratulations! This webpage has a doctype declaration. <code><!DOCTYPE html></code>
✓ URL Redirects	Congratulations! This URL doesn't have any redirects (which could potentially cause site indexation issues and site loading delays).
⚠ Safe Browsing Test	! The URL is not safe to browse.
✓ Directory Browsing Check	Congratulations! Directory Browsering is Disable
✓ Content Length Test	Congratulations! The webpage have 223241 words on page.

Audit your next site free, no credit card
This report was generated with SEO Site Checker, 100+ free SEO and website tools.
[Run another free SEO audit](#) [Browse 100+ free tools](#) [seositechecker.pro](#)